




**MONTERINGSANVISNING · INSTALLATION INSTRUCTIONS
MONTAGEANLEITUNG · INSTRUCTIONS DE MONTAGE**


Saab 9-3 M03-, Saab 9-5

Cargo net, floor mounted

Accessories Part No.	Group	Date	Instruction Part No.	Replaces
32 025 886	9:89-24	Sep 07	12 804 868	12 804 868 Aug 06




F980A283



E980A114

- 1 Cargo net
- 2 Eye (x2) (only for Saab 9-3 4D M04-)
- 3 Screw (x2) (only for Saab 9-3 4D M04-)



F980A284

⚠ WARNING

The cargo net must not be used for securing loads. The cargo net is only intended to keep lighter objects in place during driving.

All cargo must be properly secured, especially when driving with the rear seat folded down. Use straps designed for this purpose, such as 400 111 951 for example.

Saab 9-5 5D

The floor net must be securely hooked into the load retention eyes which are fitted in the rails, which means that the eyes in this kit are not fitted.

Saab 9-3 4D M03, Saab 9-3 5D, Saab 9-5 4D

The floor net must be fitted into the existing load retention eyes in the luggage compartment, which means that the eyes in this kit are not fitted.

Saab 9-3 4D M04-

The floor net must be fitted according to the following description.

- 1 Open the boot lid.
- 2 Fold down the rear seat backrest.
- 3 Measure from the luggage compartment carpet and mark the eye position in the right-hand side trim.

Important

If the car has a side fitted cargo net then the right-hand front eye is already fitted.

- 4 Measure from the luggage compartment carpet and mark the eye position in the left-hand side trim (the illustration shows the car's right-hand side and it is reversed for the left-hand side).
- 5 Drill holes using a 3.5 mm diameter drill bit.
- 6 Mount the D-ring.
- 7 Hook up the net starting at the inner load retention eyes and then in the eyes by the luggage compartment sill.
- 8 Fold up the rear seat backrest.
- 9 Close the boot lid.
- 10 Place the installation instructions inside the car.